



# Upgrading from MySQL 5.7 to MySQL 8



From:

<https://pandorafms.com/manual/!775/>

Permanent link:

[https://pandorafms.com/manual/!775/en/documentation/pandorafms/technical\\_annexes/19\\_mysql\\_8](https://pandorafms.com/manual/!775/en/documentation/pandorafms/technical_annexes/19_mysql_8)

2024/03/18 21:03



# Upgrading from MySQL 5.7 to MySQL 8

## Prerequisites

To migrate from MySQL 5.7 to MySQL 8 you must be upgraded to at least PFMS version NG 760 MR 52.

- Open a terminal window with the root user and enter the following command:

```
mysql --version
```

You will get an answer similar to the following:

```
mysql Ver 14.14 Distrib 5.7.33, for Linux (x86_64) using EditLine wrapper
```

- Perform a data backup procedure. See "[Backup and recovery procedures](#)" for details.

## CentOS 7

- Stop the PFMS server and the PFMS Software Agent:

```
/etc/init.d/pandora_server stop  
/etc/init.d/pandora_agent_daemon stop
```

- Stop the Apache web server:

```
systemctl stop httpd.service
```

Either:

```
/etc/init.d/httpd stop
```

- Make a special database backup that is compatible with MySQL 8:

```
mysqldump -u root -p pandora \  
--skip-add-drop-table \  
--complete-insert \  
--no-create-info> backup_pandora.sql
```

- Make a backup as it is done in MySQL 5.7 (an additional insurance if you have to go back to this version):

```
mysqldump -u root -p pandora> backup_pandora_5.7.sql
```

- Back up the MySQL configuration file (my.cnf):

```
cp /etc/my.cnf /tmp/my.cnf.BACK
```

- Delete the Percona 5 repositories:

```
rpm -qa | grep Percona-Server | xargs rpm -e --nodeps
```

- Install the Percona 8 repositories:

```
yum install https://repo.percona.com/yum/percona-release-latest.noarch.rpm -y
```

- Enable the repositories from the previous step:

```
percona-release setup ps80
```

- Install Percona 8

```
yum install percona-server-server
```

- Restore the file my.cnf:

```
mv /tmp/my.cnf.BACK /etc/my.cnf
```

- Modify the my.cnf file to dispense with query\_cache\_\*:

```
sed -i -e "s/^query_cache_type.*/#query_cache_type/g" /etc/my.cnf
sed -i -e "s/^query_cache_size.*/#query_cache_size/g" /etc/my.cnf
sed -i -e "s/^query_cache_min_res_unit.*/#query_cache_min_res_unit/g"
/etc/my.cnf
sed -i -e "s/^query_cache_limit.*/#query_cache_limit/g" /etc/my.cnf
```

- If you do not have an HA environment, disable the binary logs with the following command in the [mysqld] section:

```
skip-log-bin
```

See also [“Optimization and troubleshooting”](#) for checking the my.cnf file.

- Start the MySQL service:

```
systemctl start mysql
```

or:

```
service mysqld start
```

- Verify the version installed with:

```
mysql --version
```

You will get an answer similar to the following:

```
mysql Ver 8.0.28-19 for Linux on x86_64 (Percona Server (GPL), Release 19,
Revision 31e88966cd3)
```

- Now use MySQL's own command line and:
  - Delete the pandora database.
  - Create a new pandora database.
  - Open the pandora database and import the schema found in the PFMS Web Console.
  - Import the data that special MySQL 8 compatible backup.

```
mysql -u root -p pandora
```

```
drop database pandora;
create database pandora;
use pandora;
source /var/www/html/pandora_console/pandoradb.sql;
source backup_pandora.sql;
```

- The necessary permissions (grants) must be added again; *if you are not logged in* to mysql as root user (replace with the corresponding password) run:

```
mysql -u root -p <password>
```

- Once logged in as root execute the following commands:
- Deactivate the password validation plugin (optional).

```
UNINSTALL COMPONENT 'file://component_validate_password';
```

- Create the login user if it does not exist:

```
CREATE USER "<DBUSER>"@"%" IDENTIFIED BY "<DBPASS>";
```

*Note* : if you want to restrict the IP address of connection to the database, you must change the % to the IP address of the connection source.

- Assign the native password for mysql:

```
ALTER USER "<DBUSER>"@"%" IDENTIFIED WITH mysql_native_password BY "<DBPASS>";
```

- Grant grants on Pandora FMS database (pandora):

```
GRANT ALL PRIVILEGES ON pandora.* TO "<DBUSER>"@"%";
```

- Save the changes and exit:

```
flush privileges;
exit
```

Once you have finished working with the database, perform the following steps:

- Start the PFMS server and the PFMS Software Agent:

```
/etc/init.d/pandora_server start
/etc/init.d/pandora_agent_daemon start
```

- Start the Apache web server:

```
systemctl start httpd.service
```

Either:

```
/etc/init.d/httpd start
```

## Rocky Linux 8/AlmaLinux 8/RHEL 8

- Stop the PFMS server and the PFMS Software Agent:

```
/etc/init.d/pandora_server stop
/etc/init.d/pandora_agent_daemon stop
```

- Stop the Apache web server:

```
systemctl stop httpd.service
```

Either:

```
/etc/init.d/httpd stop
```

- Make a special database backup that is compatible with MySQL 8:

```
mysqldump -u root -p pandora \
--skip-add-drop-table \
--complete-insert \
--no-create-info> backup_pandora.sql
```

- Make a backup as it is done in MySQL 5.7 (an additional insurance if you have to go back to this version):

```
mysqldump -u root -p pandora> backup_pandora_5.7.sql
```

- Back up the MySQL configuration file (my.cnf):

```
cp /etc/my.cnf /tmp/my.cnf.BACK
```

- Delete the Percona 5 repositories:

```
rpm -qa | grep Percona-Server | xargs rpm -e --nodeps
```

- Install the Percona 8 repositories:

```
dnf install https://repo.percona.com/yum/percona-release-latest.noarch.rpm -y
```

- Enable the repositories from the previous step:

```
percona-release setup ps80
```

- Install Percona 8

```
dnf install percona-server-server
```

- Restore the file my.cnf:

```
mv /tmp/my.cnf.BACK /etc/my.cnf
```

- Modify the my.cnf file to dispense with query\_cache\_\*:

```
sed -i -e "s/^query_cache_type.*/#query_cache_type/g" /etc/my.cnf
sed -i -e "s/^query_cache_size.*/#query_cache_size/g" /etc/my.cnf
sed -i -e "s/^query_cache_min_res_unit.*/#query_cache_min_res_unit/g"
/etc/my.cnf
sed -i -e "s/^query_cache_limit.*/#query_cache_limit/g" /etc/my.cnf
```

- If you do not have an HA environment, disable the binary logs with the following command in the [mysqld] section:

```
skip-log-bin
```

See also "[Optimization and troubleshooting](#)" for checking the my.cnf file.

- Start the MySQL service:

```
systemctl start mysql
```

or:

```
service mysqld start
```

- Verify the version installed with:

```
mysql --version
```

You will get an answer similar to the following:

```
mysql Ver 8.0.28-19 for Linux on x86_64 (Percona Server (GPL), Release 19,
Revision 31e88966cd3)
```

- Now use MySQL's own command line and:
  - Delete the pandora database.
  - Create a new pandora database.
  - Open the pandora database and import the schema found in the PFMS Web Console.
  - Import the data that special MySQL 8 compatible backup.

```
mysql -u root -p pandora
```

```
drop database pandora;  
create database pandora;  
use pandora;  
source /var/www/html/pandora_console/pandoradb.sql;  
source backup_pandora.sql;
```

- Start the PFMS server and the PFMS Software Agent:

```
/etc/init.d/pandora_server start  
/etc/init.d/pandora_agent_daemon start
```

- Start the Apache web server:

```
systemctl start httpd.service
```

Either:

```
/etc/init.d/httpd start
```

[Go back to Pandora FMS documentation index](#)